BOTHALIA

Volume 10 Jaargang 10

Published by the
Botanical Research Institute
Department of Agricultural Technical Services

Gepubliseer deur die
Navorsingsinstituut vir Plantkunde
Departement van Landbou-tegniese Dienste

Edited by—Onder redaksie van

L. E. Codd, D.Sc.

Director: Botanical Research Institute, Pretoria
Direkteur: Navorsingsinstituut vir Plantkunde, Pretoria

THE GOVERNMENT PRINTER—DIE STAATSDRUKKER, PRETORIA

G-P.S.6293—1972-73—1 000

BOTHALIA

Volume 10 Jaargang 10

Published by the

Botanical Research Institute

Department of Agricultural Technical Services

Gepubliseer deur die

Navorsingsinstituut vir Plantkunde

Departement van Landbou-tegniese Dienste

Edited by—Onder redaksie van

L. E. Codd, D.Sc.

Director: Botanical Research Institute, Pretoria

Direkteur: Navorsingsinstituut vir Plantkunde, Pretoria

G-P.S.6293—1972-73—1 000

CONTENTS — INHOUD

	Page/Bladsy	*Date/Datum*
Part 1	1–128	23 July/Julie 1969
Part 2	130–402	14 March/Maart 1971
Part 3	404–500	22 July/Julie 1971
Part 4	502–646	30 August/Augustus 1972

	Page Bladsy
ANDERSON, J. G. A new generic record for South Africa	73
BOURREIL, P., GESLOT, A., GORLIER, M. & DE WINTER, B. Contributions to the caryological study of the African grass *Aristida rhiniochloa* Hochst., based on specimens from the Southern Hemisphere	555
CEJP, KAREL. Some members of the Sphaeropsidales from South Africa	341
CODD, L. E. A new name in *Catha*	365
Pseudosalacia Codd, gen. nov	565
DE WINTER, B. Johan Graham Anderson (1926–70)	405
A new species of *Eragrostis* from South-West Africa	72
DYER, R. A. *Brachystelma cathcartense* R. A. Dyer, sp. nov	431
The cones of *Encephalartos inopinus*	369
A further new species of cycad from the Transvaal	379
A new combination in *Schizoglossum*	363
A new species of *Encephalartos* from Swaziland	539
Notes on *Brachystelma*	373
Vegetative multiplication of *Strelitzia reginae* and its allies	575
Xysmalobium trauseldii R. A. Dyer, sp. nov	433
DYER, R. A. & KILLICK, D. J. B. A note on *Myrsine* in Southern Africa	368
GIESS, W. A new species of *Aristida* from South-West Africa	365
GUNN, M. D. Edwin Percy Phillips, M.A., D.Sc. (1884–1967)	1
Illtyd Buller Pole Evans, M.A. (Cantab.), D.Sc. (Wales), LI.D. (Rand) (1879–1968)	131
Marguerite Gertrud Anna Henrici (1892–1971)	503
HARDY, D. S. A new *Aloe* from South-West Africa	366
KILLICK, D. J. B. A curious form of *Crassula natans* Thunb. from the Natal Drakensberg	70
The disc in the Southern African species of *Maerua*	39
A new species of *Maerua*	65
A new species of *Selago*	74
The South African species of *Myrica*	5
Trimeria rotundifolia or *T. grandifolia?*	568
KILLICK, D. J. B. & CLAASSEN, C. G. T. A new species of *Schistostephium* from the Natal Drakensberg	68
LEACH, L. C. Stapelieae from South Tropical Africa, V	45
LEISTNER, O. A. A new combination in *Pavonia*	74
MARAIS, W. A new combination in *Silicularia*	70
MARASAS, W. F. O. Cotton staining caused by *Crebrothecium ashbyi* (=*Eremothecium ashbyi*) in South Africa	407
MARASAS, W. F. O. & SCHUMANN, INGRID H. The Genus *Pithomyces* in South Africa	509
MARASAS, W. F. O. & VAN DER WESTHUIZEN, G. C. A. New and interesting records of South African fungi, Part VII	411
MOLL, E. J. The current status of Mistbelt Mixed *Podocarpus* Forest in Natal	595
The distribution, abundance and utilization of the Lala Palm, *Hyphaene natalensis*, in Tongoland, Natal	627

Page
Bladsy

An investigation of the plant ecology of the Hawaan Forest, Natal, using an ordination technique ... 121
A preliminary account of the dune communities at Pennington Park, Mtunzini, Natal ... 615
MOLL, E. J. & WOODS, D. B. The rate of forest tree growth and a forest ordination at Xumeni, Natal ... 461
MORRIS, J. W. An ordination of the vegetation of Ntshongweni, Natal ... 89
MÜLLER, P. J., WERGER, M. J. A., COETZEE, B. J., EDWARDS, D. & JARMAN, N. G. An apparatus for facilitating the manual tabulation of phytosociological data 579
OBERMEYER, A. A. *Haworthia koelmaniorum*: a correction ... 74
Two new *Ornithogalum* species from South-West Africa ... 355
OBERMEYER, A. A. & STREY, R. G. A new species of *Raphia* from Northern Zululand and Southern Mozambique ... 29
ROSS, J. H. *Acacia brevispica* and *A. schweinfurthii* ... 419
Acacia karroo in Southern Africa ... 385
The *Acacia* species with glandular glutinous pods in Southern Africa ... 351
A new combination in *Gnidia* ... 435
A new combination in *Zehneria* ... 568
A note on the *Acacia giraffae X A. haematoxylon* hybrid ... 359
A note on *Erythrophleum* R. Br. in South Africa ... 43
Notes on *Acacia* species in Southern Africa ... 547
A variant of *Acacia karroo* from Sekukuniland ... 427
ROSS, J. H. & MORRIS, J. W. Principal components analysis of *Acacia burkei* and *A. nigrescens* in Natal ... 437
STREY, R. G. A new species of *Eugenia* from Pondoland and Southern Natal ... 569
A note on the identity of *Mesembryanthemum brachyphyllum* Welw ... 55
TAYLOR, H. C. Notes on the vegetation of the Cape Flats ... 637
THOM, J. E. A new species of *Dovyalis* ... 434
TÖLKEN, H. R. The genus *Talinum* (Portulacaceae) in Southern Africa ... 19
Notes on *Boscia* ... 59
VAN DER MERWE, J. J. M. New combinations in *Cyphostemma* ... 436
VAN DER SCHIJFF, H. P. & SCHOONRAAD, E. The flora of the Mariepskop complex 461
VAN DER WALT, J. P. New combinations in the genera *Brettanomyces*, *Kluyveromyces*, *Lodderomyces* and *Wingea* ... 417
VAN DER WESTHUIZEN, G. C. A. Cultural characters and carpophore construction of some poroid Hymenomycetes ... 137
Studies of wood-rotting fungi. II. Basidiomycetes from the Wood-preservative Field Exposure Test Plot at Kruisfontein ... 517
VAN DER WESTHUIZEN, G. C. A. & VAN WARMELO, K. T. New and interesting records of South African fungi, VI ... 83
VAN WARMELO, K. T. Conidial nucleation in *Stemphylium botryosum* ... 335
A new species of *Gonatobotryum* from South Africa ... 347
Somatic nuclear division in *Stemphylium botryosum* ... 329
VERDOORN, I. C. New combinations in the genus *Hermannia* ... 79
New names in *Hermannia* ... 77
A new species of *Corchorus* ... 81
A new species of *Crinum* ... 56
A new species of *Hermannia* ... 571
A new species of *Hermannia* ... 76
Two new varieties of *Hermannia filifolia* ... 572
WERGER, M. J. A. Species-area relationship and plot size: with some examples from South African vegetation ... 583
WERGER, M. J. A., KRUGER, F. J. & TAYLOR, H. C. A phytosociological study of the Cape fynbos and of the vegetation at Jonkershoek, Stellenbosch ... 599

INDEX — INDEKS

Acacia, 66, 96
arabica, 386
borleae *Burtt Davy*, 351, 391
brevispica *Harms*, 419
subsp. brevispica, 419
subsp. dregeana (*Benth.*) *Brenan*, 419
var. *brevispica*, 419
var. *dregeana* (Benth.) Ross & Gordon-Gray, 419
var. *schweinfurthii* (Brenan & Exell) Ross & Gordon-Gray, 419
burkei *Benth.*, 437
caffra (*Thunb.*) Willd., 362, 395
capensis sensu Burch., 386
davyi *N.E. Br.*, 390
decurrens (*Wendl.*) *Willd.*,
dulcis sensu Henkel, 547
erioloba E. Mey., 547
exuvialis *Verdoorn*, 351, 391
galpinii *Burtt Davy*, **547**
gerrardii *Benth.*, 427
giraffae *Willd.*, 359, 547
haematoxylon *Willd.*, 359, 548
hebeclada *DC.*, 549
heteracantha Burch., 549
hirtella E. Mey., 388, 393, 430
hockii *De Wild.*, 390
horrida (*L.*) *Willd.*, 386
var. *transvaalensis* Burtt Davy, 388, 400, 429
inconflagrabilis Gerstner, 388, 394
inermis Marl., 548
irrorata *Sieb. ex Spreng.*, 360
karroo *Hayne*, 351, 385, **387**, 427
var. *transvaalensis* (Burtt Davy) Burtt Davy, 388
leucacantha *Vatke*, 386
litakunensis Burch., 549
luederitzii *Engl.*, 549
maras Engl., 552
marlothii Engl., 549
mearnsii *De Wild.*, 86, 360
natalitia E. Mey, 388, 393, 429
nebrownii *Burt Davy*, 351, 391
nigrescens *Oliv.*, 437
nilotica (*L.*) *Willd. ex Del.*, 95, 96, 386
permixta *Burtt Davy*, 351, 391
psammophila *Pritz*, 394
reficiens *Wawra*, 552
robusta *Burch.*, 388, 438
schweinfurthii *Brenan & Exell*, 419
var. schweinfurthii, 419
var. sericea *Brenan & Excell*, 419
seyal *Del.*, 390
sieberana *DC.*
var. woodii (*Burtt Davy*) *Keay & Brenan*, 388
spirocarpoides Engl., 552
stolonifera Burch., 549
swazica *Burtt Davy*, 351, 391
taylorii *Brenan & Exell*, 424
tenuispina *Verdoorn*, 351, 391
torrei *Brenan*, 351, 391
tortilis (*Forsk.*) *Hayne*
subsp. heteracantha (*Burch.*) *Brenan*, 549
trispinosa *Marl. & Engl.*, 388
vera Willd., 386
xanthophloea, 66
Acalypha sonderiana, 97
Acremoniella velata, 415
verrucosa *Togn.*, 411
Adansonia digitata, 133
Agathosma crenulata, 601
Aira caryophyllea *L.*, 74
Albizia anthelmintica (*A. Rich.*) *Brongn.*, 549
Aleurodiscus, 144
Aloe candelabrum, 96
erinacea *Hardy*, 366
melanacanthae *Berger*, 366
pole-evansii *Christian*, 135
Alternaria tenuis, 329, 333, 335, 339
Anderson, J. G. A new generic record for South Africa, 73–74
Anthoxanthum, 74
Antrodia, *Karst.*, 208
Aporpium caryae, 149, 217
Aristida dewinteri *Giess*, 365
junciformis, 95
rhiniochloa *Hochst.*, 555
stipoidi *Lam.*, 365
Arthrosolen, 435
compactus C.H. Wr., 435
Ascochyta *atriplicis* (Vestergr.) Diedicke, 343
chenopodii *Rostrup*, 343
grewiae *Cejp*, 342
Ashbya gossypii (*Ashby & Nowell*) *Guill.*, 407
Asterodon, 144
Asterostromella, 144
Azima tetracantha, 98
Balanites maughamii, 66
Basidioradulum radula [(*Fr.*) *Fr.*] *Nobles*, 241
Berzelia lanuginosa, 605
Bjerkandera *Karst.*, 168
adusta (Willd. ex Fr.) Karst., 162
Blepharanthera dinteri Schltr., 374
edulis Schltr., 374
Boletus, 141
adustus Willd., 162
Borassus flabellifer var. aethiopica, 415
Bornetina corium Mangin & Viala, 150
Boscia, 59
albitrunca, 59, 62
arabica *Pest.*, 59
filipes Gilg, 63
foetida *Schinz*, 59, **61**, 62
subsp. foetida, 60, 61, **62**
subsp. longipedicellata (*Gilg*) *Toelken*, 61, **62**
subsp. minima *Toelken*, 61, **62**
subsp. rehmanniana (*Pest.*) *Toelken*, 61, **62**, 63
kalachariensis Pest., 63

kalachariensis sensu Dinter, 62
longipedicellata Gilg, 62
microphylla *Oliv.*, 61, 62, **63**
oleoides (*Burch. ex DC.*) *Toelken*, 59
polyantha *Gilg.*, 61
polyantha sensu Suesseng., Heine & Roessler, 59
rautanenii Schinz, 62
rehmanniana Pest., 62
seineri Gilg & Engl., 63
tomentosa *Toelken*, 59
Bourreil, P., Geslot, A., Gorlier, M. & De Winter, B. Contribution to the caryological study of the African grass Aristida rhiniochloa Hochst., based on specimens from the Southern Hemisphere, 555–564
Brabeium stellatifolium, 607
Brachycarpaea, 70
Brachystelma arnotii *Bak.*, 373
blepharanthera *H. Huber*, **374**, 375
bolusii N.E. Br., 374
brevipedicellatum Turrill, 375
campanulatum *N.E. Br.*, 431
cathcartense *R. A. Dyer*, 431
cinereum (Schltr.) N.E. Br., 374
circinatum *E. Mey.*, **374**, 376
commixtum N.E. Br., 374
cupulatum *R. A. Dyer*, **375**, 376
dinteri *Schltr.*, 373, **375**
filiforme Harv., 374
flavidum *Schltr.*, 378
galpinii (Schltr.) N.E. Br., 374
grossarthii Dinter, 373
meyerianum *Schltr.*, 432
ovatum Oliv., 374
pallidum (Schltr.) N.E. Br., 374
ringens E. A. Bruce, 375
stenophyllum (*Schltr.*) *R. A. Dyer*, 376
tenue *R. A. Dyer*, 376
tuberosum *R. Br.*, 431
stenophyllum (Schltr.) N.E. Br., 374
vahrmeijeri *R. A. Dyer*, 378
zeyheri (Schltr.) N.E. Br., 374
Brettanomyces intermedius (*Krumbholz & Tauschanoff*) *v. d. Walt & v. Kerken*, 417
Brunia nodiflora, 602
Callistephus chinensis *Nees*, 345
Cape Fynbos, 599
Capparis, 59, 63
albitrunca Burch., 59
var. *parvifolia* Sim, 63
calvescens Gilg & Ben., 65
capensis Thunb., 64
citrifolia Lam., 63
var. *longifolia* Hochst., 63
var. *sylvatica* Eckl. & Zeyh. ex Sond., 63
clutiaefolia Burch. ex DC., 59
coriacea Burch. ex DC., 59
fascicularis *DC.*, 64
var. calvescens, 65
var. elaegnoides, 65
var. fascicularis, **64**, 65
var. transvaalensis, 65
var. zeyheri (*Turcz.*) *Toelken*, 65
flanaganii Gilg & Ben., 65
laurifolia Gilg & Ben., 64
marlothii Gilg & Ben., 65
oleoides Burch. ex DC., 59
rudatisii Gilg & Ben., 65
schlechteri Schinz, 64
sepiaria *L.*, 63
var. citrifolia (*Lam.*) *Toelken*, 63
var. stuhlmannii (*Gilg*) *De Wolf*, 64
var. subglabra, 64
solanoides Gilg & Ben., 65
transvaalensis Schinz, 64
var. *calvescens* (Gilg & Ben.) Marais, 64
volkameriae DC., 64
volkameriae sensu Eckl. & Zeyh., 65
woodii Gilg & Ben., 64
zeyheri Turcz., 65
Cassine *L.*, 565
aethiopicum *Thunb.*, 567
Catabrosa aquatica (*L.*) *Beauv.*, 73
Catha *cassinoides* (Robson) Codd, 365
transvaalensis *Codd*, 365
Cejp, Karel. Some members of the Sphaeropsidales from South Africa, 341–346
Ceropegia pygmaea, 376
Cerrena *meyenii* (Klotzsch) Hansen, 242
unicolor (*Bull. ex Fr.*) *Murr.*, 157, 173
Chaetomium cochliodes *Palliser*, 88
Chenopodium murale *L.*, 343
Cissus *connivens* Lam.
var. *meyeriana* Planch., 436
dasypleurus C.A. Sm., 436
glabra E. Mey., 436
hispidiflorus C.A. Sm., 436
natalitia (Szyszyl.) Codd, 436
oleraceus Bolus, 436
orientalis sensu Harv., 436
sandersonii *Harv.* 436
segmentatum C.A. Sm., 436
sulcatus C.A. Sm., 436
Cladostemon kirkii, 66
Claytonia caffra (Thunb.) Kuntze, 23
Codd, L. E. A new name in Catha, 365
Codd, L. E. Pseudosalacia, 565–567
Collybia velutipes, 217
Coltricia *Mich. ex S. F. Gray*, 146
acupunctata (Berk.) G. H. Cunn., 294
Combretum, 66
erythrophyllum (*Burch.*) *Sond.*, 343
molle, 95
Coniella *Höhnel*, 413
diplodiella (*Speg.*) *Petrak & Sydow*, 413
pulchella *Höhnel*, **413**, 416
Coniophora arida (*Fries*) *Karst.*, 526
puteana, 526
Coprinus lagopus, 157
Corchorus asplenifolia *Burch.*, 81
confusus *Wild*, 81
sulcatus *Verdoorn*, 81
Coriolellus *Murr.*, 156, 197, 202, 207
malicola, 158
sepium (*Berk.*) *Murr.*, 197, 213
Coriolopsis *Murr.*, 185
occidentalis (Kl.) Murr., 256
trabea (Pers. ex Fr.) Bond. & Sing., 180
Coriolus *Quél.*, 146, 219, 236
ambiguus (Berk.) G. H. Cunn., 250
cingulatus (Fr.) G. H. Cunn., 263
corrugatus (Pers.) G. H. Cunn., 282
meyenii (Klotzsch) G. H. Cunn., 242
occidentalis (Kl.) G. H. Cunn., 256
pubescens (Schum. ex Fr.) Quél., 237

versicolor (L. ex Fr.) Quel., 219
vinosus (Berk.) Pat., 269
Corticium *Pers. ex Fr.*, 218
Courbonia glauca (Klotzsch) Gilg & Ben., 39
Crassula natans *Thunb.*, 70, 71
Crebrothecium ashbyi (*Guill.*) *Routien*, 407, **409**
Crinum crassicaule *Bak.*, 57
delagoensi *Verdoorn*, 56
foetidum *Verdoorn*, **56**, 58
graminicola *Verdoorn*, 56
harmsii *Bak.*, 57
Cussonia spicata, 96
umbellifera *Sond.*, 341
Cyclodomella nigra, 413
Cycloptychis, 70
Cymatoderma *Jungh.*, 152
Cyphostemma cirrhosum (*Thunb.*) *Descoings ex Wild & Drumm.*, 436
subsp. transvaalense (*Szyszyl.*) *Wild & Drumm.*, 436
dasypleurum (*C.A. Sm.*) *J. v. d. Merwe*, 436
hispidiflorum (*C.A. Sm.*) *J. v. d. Merwe*, 436
natalitium (*Szyszyl.*) *J. v. d. Merwe*, 436
oleraceum (*Bolus*) *J. v. d. Merwe*, 436
segmentatum (*C.A. Sm.*) *J. v. d. Merwe*, 436
sulcatum (*C.A. Sm.*) *J. v. d. Merwe*, 436
Cytidia flocculenta, 157
Daedalea *Pers. ex Fr.*, 141, 179, 185, 196
betulina L. ex Fr., 231
confragosa *Bolt. ex Fr.*, 275, **276**
moesta *Kalch.*, 202
palisoti Fr., 250
quercina *L. ex Fr.*, 179, 185, **191**, 201
saepiaria Wulf. ex Fr., 175
trabea Pers. ex Fr., 180
Daedaleopsis confragosa (Bolt. ex Fr.) Schroet., 276
tenuis (Hook. ex Fr.) Imazeki, 289
Debaryomyces globosus Klöcker, 418
Deschampsia, 74
De Winter, B. Johan Graham Anderson (1926) 1970), 405–406
De Winter, B. A new species of Eragrostis from South-West Africa, 72–73
Diacanthodes novoguinsensis (*P. Henn.*) *O. Fid.*, 150
Dichaelia forcipata Schltr., 374
Didymosphaeria igniaria, 415
Diplodina chenopodii Karst., 343
Dombeya rotundifolia, 96
Dovyalis caffra, 434
lucida, 435
revoluta *Thom*, 434
zeyheri, 434
Duvalia *Haworth*, 45, 363
andreaeana Rauh, 45, 54, 363
elegans (*Masson*) *Haw.*, 46, 363
maculata *N.E. Br.* var. imaculata *Luckhoff*, 364
polita *N.E. Br.*, 47
var. parviflora, 45, 47
procumbens R. A. Dyer, 45, 54, 363
pubescens, 46
radiata, 46, 47
sulcata *N.E. Br.*, 45, 47
tanganyikensis Bruce & Bally, 45, 54, 363
Dyer, R. A. Brachystelma cathcartense, sp. nov., 431–434
Dyer, R. A. The cones of Encephalartos inopinus, 369–371
Dyer, R. A. Distinctions between Duvalia and Huernia, 363–365
Dyer, R. A. A further new species of cycad from the Transvaal, 379–383
Dyer, R. A. A new combination in Schizoglossum, 363
Dyer, R. A. A new species of Encephalartos from Swaziland, 539–546
Dyer, R. A. Notes on the genus Brachystelma, 373–378
Dyer, R. A. Vegetative multiplication of Strelitzia reginae and its allies, 575–578
Dyer, R. A. Xysmalobium trauseldii, sp. nov., 433–434
Dyer, R. A. & Killick, D. J. B. A note on Myrsine in Southern Africa, 368–369
Earliella corrugata (Pers.) Murill, 282
Eidamia tuberculata Horne & Jones, 411
Encephalartos, 132
cupidus *R. A. Dyer*, 379
heenanii *R. A. Dyer*, 539
inopinus *R. A. Dyer*, 369, 383
laevifolius *Stapf & Burtt Davy*, 541
munchii *R. A. Dyer & Verdoorn*, 382
paucidentatus *Stapf & Burtt Davy*, 539, **545**
Eragrostis, 72
kingesii *De Wint.*, 72
pygmaea *De Wint.*, 72
Eremothecium, 407
ashbyi Guill., 407
cymbalariae *Borzi.*, 407
Erythrophleum, 43
africanum (*Benth.*) *Harms*, 43, 44
guineense G. Don, 43
var. *swaziense* Burtt Davy, 43, 44
guineense sensu Henkel, 44
lasianthum *Corbishley*, 43, **44**
suaveolens (*Guill. & Perr.*) *Brenan*, 43
suaveolens sensu Compton, 44
Eucalyptus saligna, 83, 517
Euclea crispa (*Thunb.*) *Guerke*
var. crispa, 344
schimperi
var. daphnoides, 66
Eugenia erythrophylla *Strey*, 569
Euphorbia tirucalli, 97
Fabospora phaffii v. d. Walt, 418
Fagara davyi, 451
Faurea saligna, 95
Fistulina Bull. ex Fr., 141, 150
hepatica *Huds. ex Fr.*, 150
Flammula, 156
alnicola, 217
conissans, 217
Fomes (*Fr.*) *Kickx*, 144, 155, 190, 212
cajanderi *Karst.*, 208
fomentarius (*L. ex Fr.*) *Kickx*, 149, 190, 196, 213
laevigatus, 144
pinicola (*Sw. ex Fr.*) *Cooke*, 166, **186**, 213
roseus, 156
subroseus, 156
ulmarius, 156
Fomitopsis *Karst.*, 146, 191, 213
cajanderi (Karst.) Kotlaba & Pouzar, 208
corrugata (Pers.) Imazeki, 282

pinicola (Sw. ex Fr.) Karst., 186
subrosea (Weir) Bond. & Sing., 208
vinosa (Berk.) Imazeki, 269
Fusarium oxysporum (*Schlecht.*) *Snyd. & Hans*, 411
Ganoderma *Karst.*, 145, 224, 230
lucidum, 203
Gelasinospora *Dowding*, 83
calospora (*Mouton*) C. & M. Moreau, 86
cerealis *Dowding*, **83**
reticulospora, 86
Gerbera jamesonii *H. Bol. ex Hook.*f., 345
Giess, W. A new species of Aristida from South-West Africa, 365–366
Gladiolus pole-evansii *Verdoorn*, 135
Gliobotrys *Höhnel*, 415
Gloeophyllum *Karst.*, 179, 185, 236
saepiarium (Wulf. ex Fr.) Karst., 150, 175
trabeum (Pers. ex Fr.) Murr., 180
Gloeoporus *Mont.*, 168, 174
adustus (Willd. ex Fr.) Pil., 162
conchoides *Mont.*, 174
dichrous (Fr.) Bress., 169
Gnidia compacta (*C. H. Wr.*) *J. H. Ross*, 435
Gomphocarpus corniculatus (E. Mey.) Dietr., 363
Gonatobotrys *Corda*, 349
Gonatobotryum *Sacc.*, 349
apiculatum (*Peck*) *Hughes*, 349
bahiense *Batista*, 349
dichotomum *Cooke & Mass.*, 349
fuscum *Sacc.*, 349
indicum *Munjal & Gill*, 349
maculicolum (*Wint.*) *Sacc.*, 349
sclerotigenum *van Warmelo*, 347
Grewia monticola *Sond.*, 343
Gunn, M. D. Edwin Percy Phillips, M.A., D.Sc. (1884–1967), 1–3
Gunn, M. D. Illtyd Buller Pole Evans (1879–1968), 131–135
Gunn, M. D. Marguerite Gertrud Anna Henrici (1892–1971), 503–508.
Hardy, D. S. A new aloe from South-West Africa, 366–368
Haworthia *koelmaniora* Oberm. & Hardy, 74
koelmaniorum *Oberm. & Hardy*, 74
Heeria argentea, 607
Heliophila, 70
nubigenoides Compton, 70
polygaloides Schltr., 70
Helminthosprium sativum, 335
turcicum, 335
Hermannia, 77, 79
althaeifolia *L.*, 77
antonii *Verdoorn*, 77
aspera *Wendl.*, 79
brachymalla, 77
bryoniifolia *Burch.*, 77
burchellii (*Sweet*) *Verdoorn*, 79
cuneifolia *Jacq.*, 79
var. glabrescens (*Harv.*) *Verdoorn*, 78, **79**
filifolia *L.f.*, 572
var. filifolia, 572
var. grandicalyx *Verdoorn*, 572
var. robusta *Verdoorn*, 573
grandiflora *Ait.*, 79
hirsuta Mill., 77
hirsuta Schrad. & Wendl., 77
linifolia sensu Eckl. & Zeyh., 572
malvaefolia, 76
muirii *Pillans*, 571
multiflora, 79
orophila *Eckl. & Zeyh.*, 572
pallens Eckl. & Zeyh., 79
var. *glabrescens* Harv., 79
var. *subglabra*, 81
rehmannii (Szyszyl.) K. Schum., 77
repetenda *Verdoorn*, 77
scabra *Cav.*, 79
stricta (*E. Mey. ex Turcz.*) *Harv.*, 79
umbratica *Verdoorn*, 76
Heteropyxis natalensis, 97, 98
Hexagona *Fr.*, 150
tenuis *Hook. ex Fr.*, 289
Hibiscus, 74
baumii Guerke, 74
pedunculatus, 97
senegalensis Cav., 74
Hippobromus pauciflorus, 97
Hirschioporus, 156
Huernia, 45, 363
andreaeana (*Rauh*) *Leach*, 45, **54**
aspera *N.E. Br.*, 46, 53
campanulata (*Masson*) *R. Br.*, 364
erinaceae *Bally*, 46
hislopii subsp. hislopii, 52
subsp. robusta, 52
keniensis, 53
longituba, 52
subsp. cashelensis, 52, 53
macrocarpa *Spreng.*, 48
marnieriana *Lavranos*, 46, 47
oculata *Hook.f.*, 47, 48
procumbens (*R. A. Dyer*) *Leach*, 45, 47, 48, **54**
repens *Lavranos*, 46
schneideriana *Berger*, 45, 48, **52**, 54
tanganyikensis (*Bruce & Bally*) *Leach*, 45, 47, **54**
verekeri *Stent*, 45, **48**, 50, 51, 53
var. pauciflora *Leach*, 45, 47, **49**, 365
var. *stevensonii* White & Sloan, 48
var. verekeri, 48, **49**, 51
zebrina, 47
Humicola stellata *Bunce*, 88
Hydnellum, 153
Hymenochaete, 144
Hyphaene crinita, 627
natalensis, 627
Hyphoderma *Wallr. emend. Donk*, 525
guttuliferum, 525
puberum, 525
tenue, 525
Hypodiscus aristatus, 602
Hypoestes verticillaris, *R. Br.*, 344
Inonotus *Karst.*, 146
Kiggelaria africana, 451
Killick, D. J. B. A curious form of Crassula natans *Thunb.* from the Natal Drakensberg, 70
Killick, D. J. B. The disc in the Southern African spesies of Maerua, 39–42
Killick, D. J. B. A new species of Maerua, 65–67
Killick, D. J. B. A new species of Selago, 74–76
Killick, D. J. B. The South African species of Myrica, 5–17
Killick, D. J. B. Trimeria rotundifolia or T. grandifolia, 568

Killick, D. J. B. & Claassen, C. G. T. A new species of Schistostephium from the Natal Drakensberg, 68–69
Kluyveromyces aestuarii (*Fell*) *v. d. Walt*, 417
bulgaricus (*Santa Maria*) *v. d. Walt*, 417
delphensis (*v. d. Walt & Tscheuschner*) *v. d. Walt*, 417
dobzhanskii (*Shehata, Phaff & Mrak*) *v. d. Walt*, 417
drosophilarum (*Shehata, Phaff & Mrak*) *v. d. Walt.*, 417
fragilis (*Jörgensen*) *v. d. Walt*, 417
lactis (*Dombrowski*) *v. d. Walt* 417
lodderi (*v. d. Walt & Tscheuschner*) *v. d. Walt*, 418
marxianus (*Hansen*) *v. d. Walt*, 418
phaffii (*v. d. Walt*) *v. d. Walt*, 418
phaseolosporus (*Shehata, Phaff & Mark*) *v.d. Walt*, 418
vanudenii (*v. d. Walt & Nel*) *v. d. Walt*, 418
veronae (*Lodder & Kreger-v. Rij*) *v. d. Walt*, 418
wickerhamii (*Phaff, Miller & Shifrine*) *v. d. Walt*, 418
Koeleria cristata (*L.*) *Pers.*, 74
Kotochalia junodii *Heyl.*, 389
Krebsia corniculata (E. Mey) Schltr., 363
Lagarinthus corniculatus E. Mey., 363
Lampranthus glaucus (*L.*) *N.E. Br.*, 55
Lannea edulis (*Sond.*) *Engl.*, 344
Laricifomes (*Kotlaba & Pouzar*, 149
officinalis, 149
Leach, L. C. Stapelieae from South Tropical Africa, V., 45–54
Leistner, O. A. A new combination in Pavonia, 74
Lenzites, *Fr.*, 146, 179, 197, 236
betulina (*L. ex Fr.*) *Fr.*, 179, 190, **231**, 241
cinnamomea Fr., 150
palisoti (*Fr.*) *Fr.*, 230, 236, 249, **250**
quercina (L. ex *Fr.*) Quél., 191
saepiaria (*Wulf. ex Fr.*) *Fr.*, **175**, 185, 236, 519, 526
thermophila, 156
trabea *Pers. ex Fr..*, 156, **180**, 190, 236
Leptoporus *Quél.*, 168
adustus (Willd. ex Fr.) Quél., 162
dichrous (Fr.) Quél., 169
Leucoporus brumalis, 157
Lodderomyces elongisporus (*Recca & Mrak*) *v. d. Walt*, 418
Lydenburgia cassinoides Robson, 365
Lygodim microphyllum, 30
Maerua, 39, 42, 59
angolensis *DC.*, 39
brevipetiolata *Killick*, 39, **65**
cafra (*DC.*) *Pax*, 42
edulis (*Gilg & Ben.*) *De Wolf*, 39
gilgii *Schinz*, 39
juncea *Pax*, 39
subsp. crustata (*Wild*) *Wild*, 39
subsp. juncea, 39
nervosa (*Hochst.*) *Oliv.*, 39
parvifolia *Pax*, 42
racemulosa (*A. DC.*) *Gilg & Ben.*, 42
rosmarinoides (*Sond.*) *Gilg & Ben.*, 39, 65
schinzii *Pax*, 39
Mahernia burchellii Sweet, 79
grandiflora sensu *Ker-Gawl.*, 79
var. *burchellii* Harv., 79
rehmannii Szyszyl., 77
scoparia *Eckl. & Zeyh.*, 572
Marais, W. A new combination in Silicularia, 70
Marasas, W. F. O. Cotton staining caused by Crebrothecium ashbyi (=Eremothecium ashbyi) in South Africa, 407–410
Marasas, W. F. O. & Schumann, Ingrid H. The genus Pithomyces in South Africa, 509–516
Marasas, W. F. O. & Van der Westhuizen, G. C. A. New and interesting records of South African fungi, Part VII, 411–416
Medicago sativa *L.*, 411, 414, 509
Melampsora aecidioides (*DC.*) *Schroet.*, 87
larici-populina *Klebahn*, 87
Melhania griquensis, 82
Meliola, 86
Melothria *L.*, 568
parvifolia Cogn., 568
Memnoniella *Höhnel*, 415
Meruliporia *Murr.*, 174
Merulius *Hall.* ex *Fr.*, 141, 146, 156, 174
ambiguus *Berk.*, 174
americanus, 241
lacrimans *Wulf. ex Fr.*, 174
tremellosus *Schrad.* ex *Fr.*, 174
Mesembryanthemum, 55
brachyphyllum Pax ex Schltr. & Diels, nom. nud., 55
brachyphyllum Welw., 55
glaucum L., 55
paxianum *Schltr. & Diels*, 55
Mimosa *capensis* Burm.f., 386
eburnea *L.f.*, 387
horrida *L.*, 386
leucacantha Jacq., 386
nilotica *L.*, 385
nilotica Thunb., 388
reticulata L., 386
Moll, E. J. The current status of Mistbelt Mixed Podocarpus Forest in Natal, 595–598
Moll, E. J. The distribution, abundance and utilization of the Lala Palm, Hyphaene natalensis, in Tongaland, Natal, 627–636
Moll, E. J. A preliminary account of the dune communities at Pennington Park, Mtunzini, Natal, 615–626
Moll, E. J. & Woods, D. B. The rate of forest tree growth and a forest ordination at Xumeni, Natal, 451–460
Monospora grandifolia Hochst., 568
rotundifolia Hochst., 568
Morris, J. W. An ordination of the vegetation of Ntshongweni, Natal, 89–120
Mukia *Arn.*, 568
Müller, P. J., Werger, M. J. A., Coetzee, B. J., Edwards, D. & Jarman, N. G. An apparatus for facilitating the manual tabulation of phyto-sociological data, 579–582
Mycotorula intermedia Krumbholz & Tauschanoff, 417
Myrica, *L.*, **5**
aethiopica L., 7
banksifolia Wendl., 7
brevifolia *E. Mey. ex C. DC.*, 5, 8, **13**, var. *subintegra* A. Chev., 16

burmannii E. Mey. ex C. DC., 16
conifera *Burm.f.*, 9
var. *banksifolia* (Wendl.) A. Chev., 7
var. *glabra* A. Chev., 7
var. *integra* A. Chev., 5, 6
var. *tomentosa* A. Chev., 7
cordifolia *L.*, 6, 8, **14**
var. *microphylla* A. Chev., 14
diversifolia *Adamson*, 6, 8, **11**
dregeana A. Chev., 5, 16
elliptica A. Chev., 5, 14
gale *L.*, 5
glabrissima A. Chev., 5, 16
hirsuta Mill., 9
humilis *Cham. & Schlechtd.*, 15, **16**
humilis sensu C. DC., 6, 8, 11, 15
ilicifolia Burm.f., 9
incisa A. Chev., 5, 10
integra (*A. Chev.*) *Killick*, 5, **6**, 8
kraussiana *Buching. ex Meisn.*, 6, 8, 11, **15**, 16
var. *latifolia* A. Chev., 15
laciniata Willd., 9
linearis sensu A. Chev., 6
mossii Burtt Davy, 5, 7
myrtifolia A. Chev., 5, 16
natalensis C. DC., 5, 7
ovata *Wendl.f.*, 17
pilulifera *Rendle*, 5, 6, 8, **11**,
var. *puberula* Rendle, 11
quercifolia *L.*, 6, 8, **9**, 11
var. *hirsuta* (Mill.) A. Chev., 10
var. *ilicifolia* (Mill.) A. Chev., 10
var. *latifolia* A. Chev., 10
var. *microphylla* A. Chev., 10
var. *multiformis* A. Chev., 10
rogersii Burtt Davy, 5, 11
serrata *Lam.*, 6, **7**, 8, 10
zeyheri C. DC., 10, 11
Myrsine africana *L.*, 368
pillansii *Adamson*, 368
Naematoloma fasciculare (*Huds. ex Fr.*) *Karst.*, 519, **520**
Nematospora coryli *Pegl.*, 407
gossypii Ashby & Nowell, 407
Neohenricia *L. Bol.*, 505
Neurospora tetrasperma, 86
Nigroporus vinosus (Berk.) Murr., 269
Obermeyer, A. A. Haworthia koelmaniorum: a correction, 74
Obermeyer, A. A. Two new Ornithogalum species from South-West Africa, 355–358
Obermeyer, A. A. & Strey, R. G. A new species of Raphia from Northern Zululand and Southern Mozambique, 29–37
Odontia, *Fr.*, 218
bicolor (*Alb. & Schw. ex Fr.*) *Bres.*, 217, 519, **521**
Ornithogalum candidum *Oberm.*, 355
var. tubiforme *Oberm.*, 357
rautanenii *Schinz*, 355, 357
recurvum *Oberm.*, 357
stapfii, 358
Orygia portulacifolia Forsk., 21
Oryza sativa, 86
Osmitopsis asteriscoides, 605
Osmoporus *Sing.*, 150, 185
Panus stipticus, 157
Pavonia, 74
hirsuta Guill. & Perr., 74
var. *microphylla* Ulbr., 74
insignis Fenzl ex Webb, 74
senegalensis (*Cav.*) *Leistner*, 74
zawadae Ulbr., 74
Paxillus panuoides *Fries*, 519, **521**
Peniophora *Cooke*, 152, 156, 217
aspera (*Pers.*) *Sacc.*, 519, **522**
cinerea (*Fries*) *Cooke*, 519, **523**
greschikii, 152
setigera, 519
tenuis (*Pat.*) *Massee*, 519, **524**
utriculosa *G. H. Cunn.*, 218
vesciculosa *G. H. Cunn.*, 218
Periconia igniaria *Mason & M. B. Ellis*, 412, **413**
Phaeocoriotellus trabeus (Pers. ex Fr.) Kotlaba & Pouzar, 180
Phyllosticta crastophila *Saccardo*, 342
cussoniae *Cejp*, 341
gerbericola (*Ch.*) *Batista*, 345
rhoina *Kalchr. & Cooke*, 346
richardiae *Halstet*, 342
vangueriae *Cejp.*, 342
Pichia robertsii v. d. Walt, 418
Pinus patula, 517
Pithomyces chartarum (*Berk. & Curt.*) *M. B. Ellis*, 509, **510**, 512
graminicola *Ray & Rai*, 510, 513
karoo *Marasas & Schumann*, 509, **511**, 513
sacchari (*Speg.*) *M. B. Ellis*, **509**, 513
Podocarpus, 595
falcatus, 451
henkelii, 451
Polevansia *De Wint.*, 135
Polyporus *Mich. ex Fr.*, 141
adustus *Willd. ex Fr.*, **162**, 173, 527
borealis *Fr.*, 218
cinnabarinus *Jacq. ex Fr.*, 156
coccineus (*Fr.*) *Bond & Sing.*, 157, 527
corrugatus Pers., 282
dichrous *Fr.*, 137, **169**
epileucus *Fr.*, 168
fumosus, 166, 217
gilvus *Schw. ex Fr.*, 519, **525**
guttulatus *Peck*, 150
meliae, 156
meyenii Klotzsch, 242
mollis *Pers. ex Fr.*, 168
occidentalis *Klotzsch*, 185, **256**
palustris, 156
pinicola Sw. ex Fr., 186
pubescens *Schum. ex Fr.*, 137, 230, **237**
sacer *Afz. ex Fr.*, 300
sanguineus *L. ex Fr.*, 156, 203, **527**
spumeus *Fr.*, 168
squamosus *Huds. ex Fr.*, 168
sulphureus, 168
tuberaster *Jacq. ex Fr.*, 168
versicolor *L. ex Fr.*, 219
vinosus *Berk.*, 269
volvatus, 217
xanthopus, 144
Polystictus *meyenii* Klotzsch, 242
sanguineus, 157
subiculoides *Lloyd*, 214
xanthopus, 144, 196

Poria, 142, 146 156
ambigua, 156
fissiliformis, 218
incrassata *Berk. & Curt.*, 174
microspora, 156
taxicola (*Pers.*) *Bres.*, 174
versipora (*Pers.*) *Romell*, 218
Portulaca caffra Thunb., 23
cuneifolia Vahl, 21
Portulacaria afra, 66
Protea arborea, 601, 602
Pseudofistulina, 150
Pseudosalacia *Codd*, 565
streyi *Codd*, 565
Psilotum nudum, 30
Psoralea rotundifolia, 602
Ptychogaster rubescens, 150
Puccinia pole-evansii *Doidge*, 135
Pycnoporus *Karst.*, 156, 247
Rapanea melanophloeos, 607
Raphia australis *Oberm. & Strey*, **29**, 32–37
farinifera, 31
vinifera *Beauv.*, 29, 31
Restio perplexus, 605
Rhus angustifolia, 602
viminalis *Vahl*, 346
Ross, J. H. Acacia brevispica and A. schweinfurthii, 419–426
Ross, J. H. Acacia karroo in Southern Africa, 385–401
Ross, J. H. The Acacia species with glandular glutinous pods in Southern Africa, 351–354
Ross, J. H. A new combination in Gnidia, 435–436
Ross, J. H. A new combination in Zehneria, 568
Ross, J. H. A note on the Acacia giraffae x A. haematoxylon hybrid, 359–362
Ross, J. H. A note on Erythrophleum *R.Br.* in South Africa, 43–44
Ross, J. H. Notes on Acacia species in Southern Africa: II, 547–553
Ross, J. H. A variant of Acacia karroo from Sekukuniland, 427–430
Ross, J. H. & Morris, J. W. Principal components analysis of Acacia burkei and A. nigrescens in Natal, 437–450
Saccharomyces aestuarii Fell, 417
delphensis v. d. Walt & Tscheuschner, 417
dobzhanskii Shehata, Phaff & Mrak, 417
drosophilarum Shehata, Phaff & Mrak, 417
elongisporus Recca & Mrak, 418
fragilis Jörgensen, 417
var. *bulgaricus* Santa Maria, 417
kloeckerianus *v. d. Walt*, 418
lactis Dombrowski, 417
lodderi v. d. Walt & Tscheuschner, 418
marxianus Hansen,
phasedosporus Shehata, Phaff & Mrak, 418
vanudenii v. d. Walt & Nel, 418
veronae Lodder & Kreger-v. Rij, 418
wickerhamii Phaff, Miller & Shifrine, 418
Saccobolus depauperatus (*Berk. & Br.*) *Phill.*, 87
Salacia *L.*, 565
Salsola henriciae *Verdoorn*, 505
Sarcodon, 153
Schistostephium, 68
griseum (*Harv.*) *Hutch.*, 68
radicale *Killick & Claassen*, 68
Schizoglossum, 363
aciculare N.E. Br., 363
capense (*Schltr.*) *Huber*, 363
corniculatum (*E. Mey.*) *R. A. Dyer*, 363
Schizophyllum commune *Fries*, 157, 519, **527**
Schlechteria, 70
Selaginella kraussiana, 455, 458
Selago trauseldii *Killick*, 74
Senecio isatideus *DC.*, 345
Septoria anaxea *Saccardo*, 345
callae (*Lasch*) *Saccardo*, 342
callistephi *Gloyer*, 345
combretiana *Cejp*, 343
eucleae *Ce'p.*, 343
gerberae *Sydow*, 345
lanneae *Ce'p.*, 344
rhamni-cathartica *Ces.*
var. rhamni-saxatilis *Saccardo*, 346
rhoina *Berk. & Curtis*, 346
setariae *Cejp*, 344
transvaaliana *Cejp*, 344
tripteridis *Cejp*, 345
Serpula *Pers.* ex *S. F. Gray*, 174
Setaria chevalieri *Stapf ex Stapf & Hubb.*, 344
Silicularia, 70
polygaloides (*Schltr.*) *Marais*, 70
sigillata Compton, 70
Siphonostelma stenophyllum Schltr., 376
Salena *Lour.*, 568
Spegazzinia meliolae *Zimm.*, 86
tessarthra (*B. & C.*) *Saccardo*, 86
Spirostachys africana, 97
Sporidesmium bakeri Syd., 510
Stachybotrys subsimplex *Cooke*, 415
Steccherinum, 153
Stemphylium botryosum, 329, 335
Stenochlaena tenuifolium, 30
Stenostelma capense Schltr., 363
corniculatum (E. Mey.) Bullock, 363
Stereum *Pers. ex S. F. Gray*, 152, 156, 218
hirsutum (*Willd.*) *Pers.*, 519, **527**
pini, 156
purpureum, 218
Strelitzia juncea *Link.*, 575
reginae *Ait.*, 575
Strey, R. G. A new species of Eugenia from Pondoland and Southern Natal, 569–571
Strey, R. G. A note on the identity of Mesembryanthemum brachyphyllum *Welw.*, 55
Susanna, 3
Talinum *Adanson*, 19, **21**
arnotii *Hook.f.*, 19, 21, 22, 24, **25**
caffrum sensu Dinter, 25
caffrum (*Thunb.*) *Eckl. & Zeyh.*, 19, 21, 22, **23**
var. *minus* (Eckl. & Zeyh.) Sond., 23
crispatulatum sensu Wild, 27
crispatulum *Dinter*, 19, 21, 22, **26**
cuneifolium sensu Von Poellnitz, 25
cuneifolium Willd., 23
dinteri Von Poellnitz, 27
esculentum Dinter & Schellenberg, 23
lissospermum *C.A. Sm.*, 28
minus Eck 1. & Zeyh., 23
paniculatum (*Jacq.*) *Gaertn.*, 21
portulacifolium (*Forsk.*) *Aschers. ex Schweinf.*, 21
tenuissimum *Dinter*, 19, 21, 25, 26, **27**

transvaalense Von Poellnitz, 27
triangulare (*Jacq.*) *Willd.*, 21
Taylor, H. C. Notes on the Vegetation of the Cape Flats, 637–646
Thamnochortus gracilis, 602
Themeda triandra, 75, 433
Thom, J. E. A new species of Dovyalis, 434–435
Tölken, H. R. The genus Talinum (Portulacaceae) in Southern Africa, 19–28
Tölken, H. R. Notes on Boscia, 59–63
Tölken, H. R. Notes on Capparis, 63–65
Trametes *Fr.*, 146, 185, 197, 207
acupunctata *Berk.*, 294
americana, 156
betulina (L. ex Fr.) Pil., 231
cingulata *Berk.*, 263
confragosa (Bolt. ex Fr.) Joerstad, 276
corrugata (*Pers.*) *Bresadola*, 282
meyenii (*Klotzsch*) *Lloyd*, 242
moesta *Kalch.*, 198
mollis (*Sommerf.*) *Fr.*, 208
occidentalis (Klotzsch) Fr., 256
odorata (*Wulf. ex*) *Fr.*, 150
palisoti (Fr.) Imazeki, 250
pubescens (Schum. ex Fr.) Pil., 237
quercina (L. ex Fr.) Pil., 191
roseola *Pat. & Har.*, 203
serialis, 156
suaveolens (*L. ex Fr.*) *Fr.*, 212, **226**, 235, 248
subrosea Weir, 208
trabea (Pers. ex Fr.) Bres., 180
versicolor (L. ex Fr.) Pil., 219
Trichocladium opacum (*Corda*) *Hughes*, 512
Trimeria grandifolia (*Hochst.*) *Warb.*, 568
rotundifolia (Hochst.) Warb., 568
Ungulina *Pat.*, 191, 213
marginata (Fr.) Pat., 186
Van der Merwe, J. J. M. New combinations in Cyphostemma, 436
Van der Schijff, H. P. & Schoonraad, E. The flora of the Mariepskop complex, 461–500
Van der Walt, J. P. New combinations in the genera Brettanomyces, Kluyveromyces, Lodderomyces and Wingea, 417–418
Van der Westhuizen, G. C. A. Cultural characters and carpophore construction of some poroid Hymenomycetes, 137–328
Van der Westhuizen, G. C. A. Studies of wood-rotting fungi. II. Basidiomycetes from the Wood-preservative Field Exposure Test Plot at Kruisfontein, 517–538
Van der Westhuizen, G. C. A. & Van Warmelo, K. T. New and interesting records of South African fungi, Part VI., 83–88
Vangueria infausta, 95, 342
Van Warmelo, K. T. Conidial nucleation in Stemphylium boryosum, 335–339
Van Warmelo, K. T. A new species of Gonatobotryum from South Africa, 347–349
Van Warmelo, K. T. Somatic nuclear division in Stemphylium botryosum, 329–334
Verdoorn, I. C. New combinations in the genus Hermannia, 79, 81
Verdoorn, I. C. New names in Hermannia, 77, 79
Verdoorn, I. C. A new species of Corchorus, 81–82
Verdoorn, I. C. A new species of Crinum, 56–57
Verdoorn, I. C. A new species of Hermannia, 76–77
Verdoorn, I. C. A new species of Hermannia, 571–572
Verdoorn, I. C. Two new varieties of Hermannia filifolia, 572
Vitis natalitia Szyszyl., 436
Volkameria capensis Burm.f., 64
Werger, M. J. A. Species-area relationship and plot size: with some examples from South African Vegetation, 583–594
Werger, M. J. A., Kruger, F. J. & Taylor, H. C. A phytosociological study of the Cape fynbos and other vegetation at Jonkershoek, Stellenbosch, 599–614
Wingea robertsii (*v. d. Walt*) *v. d. Walt*, 418
Xymalos monospora, 451
Xysmalobium angolense *Scott-Elliot*, 434
orbiculare (*E. Mey.*) *D. Dietr.*, 433
trauseldii *R. A. Dyer*, 433
Zea mays, 86
Zehneria *Endl.*, 568
parvifolia (*Cogn.*) *J. H. Ross*, 568